



US30

Rugged Computer Accessories Guide

US30

ACC. Map

2 slot Power Supply



100~240VAC, 12VDC, 3A

2 slot cradle + power cord / US20-PWSP-2XX

2 slot Cradle



2-Slot charging & USB host client / US20-2CRD-CU0



2-Slot charging & Ethernet USB host client / US20-2CRD-EU0

Forklift



Square Type Forklift Cradle Kits; Includes Forklift charging station, Vehicle mount, Clamp base, Volt
US20-CPAK-FCRD-SQ

5 slot Power Supply



100~240VAC, 12VDC, 12.5A

5 slot cradle + power cord / US20-PWSP-5XX

5 slot Cradle



5-Slot Charging Cradle / US20-5CRD-C00



5-Slot Ethernet Cradle / US20-5CRD-E00



5-Slot Charging Cradle for 4 x US30 & 4 Batteries / US20-5CRD-C00-MT



5-Slot Ethernet Cradle for 4 x US30 & 4 Batteries / US20-5CRD-E00-MT

Vehicle



Forklift/Vehicle charging station / UL20-VCRD-CU0

Vehicle USB Cable



Vehicle/Forklift Cradle USB Host / UNIV-CABL-UVH



Vehicle/Forklift Cradle USB Client / UNIV-CABL-UVC



Power Converter / UNIV-PWSP-F00

Trigger Handle



Scanning Trigger Handle for US20 / US20-TRIG-S00
US20-TRIG-S01

BOOT



protect the PDA
US20-BOOT-01

Battery Charger



4-Slot Battery Charger
US20-04BC-C00



20-Slot Battery Charger
US20-20BC-C00

Battery



Battery / US20-BATT-E67(-S10)

Boot



Rubber Boot / US20-BOOT-01

Etc.



Hard type Fabric
Holster
US20-CASE-FHH



Soft type Fabric
Holster
US20-CASE-FSH



USB cable A to C
UNIV-CABL-UCA



Handstrap for 45°
Scan 10 pcs
US20-STRP(-S10/S50)



Handstrap for
Trigger Handle 10
pcs
US20-STRP-T10



Screen Protector
US20-SCPR

Power Supply



US20-PWSP-U00

Provides power to US20/30 directly via USB connector

MODEL	US20-PWSP-U00
Input	100~240VAC
Output	5VDC / 2A
Compatibility	US20/30

Compatible



US30

2 Slot Cradle

Charging

Compatible



US20-2CRD-CU0

2-Slot charging & USB host client cradle

MODEL	US20-2CRD-CU0
I/O	DC
Input	12V / 3A
Dimension	105 x 154x 86mm
Compatibility	US20/30

US20-2CRD-EC0

2-Slot charging & Ethernet USB client cradle

MODEL	US20-2CRD-EC0
I/O	DC
Input	12V / 3A
Dimension	105 x 154x 86mm
Compatibility	US20/30



US20-BATT-E67(-S10)
US30 Battery



US20-PWSP-2XX
power supply

4 Slot Charger

Charging



US20-04BC-C00

4-Slot Battery Charger

MODEL	US20-04BC-C00
I/O	DC
Input	12V / 3A
Dimension	88.5 x 148.2 x 75.5mm
Compatibility	US20/30

Compatible



US20-BATT-E67(-S10)
US30 Battery



US20-PWSP-2XX
power supply

Power Supply



Depending on the type of connector at the end

US20-PWSP-2XX

Power Supply for 2-Slot battery charger

MODEL	WD10-PWSP-2XX
Input	100~240VAC
Output	12VDC / 3A
Compatibility	US20/30

US20-PWSP-2 EU
US20-PWSP-2 AU
US20-PWSP-2 KR
US20-PWSP-2 UK
US20-PWSP-2 US
US20-PWSP-2 CN

Compatible



US20-2CRD-CU0
US20-2CRD-EC0

2-Slot Cradle



US20-04BC-C00
4-Slot Battery Charger

5 Slot Cradle

Charging & Data communications



US20-5CRD-C00

5-Slot charging only cradle

MODEL	US20-5CRD-C00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 89.8mm
Compatibility	US20/30

US20-5CRD-E00

5-Slot charging & Ethernet cradle

MODEL	US20-5CRD-E00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 89.8mm
Compatibility	US20/30

Compatible



US20-BATT-E67(-S10)
US30 Battery



US20-PWSP-5XX
power supply

5 Slot Cradle

Charging & Data communications



US20-5CRD-C00-MT

5-Slot charging only cradle
(4 x US20 & 4 Batteries)

MODEL	US20-5CRD-C00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 89.8mm
Compatibility	US20/30

US20-5CRD-E00-MT

5-Slot charging & Ethernet cradle
(4 x US20 & 4 Batteries)

MODEL	US20-5CRD-E00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 89.8mm
Compatibility	US20/30

Compatible



US20-BATT-E67(-S10)
US30 Battery



US20-PWSP-5XX
power supply

20 Slot Charger

Charging



US20-20BC-C00

20-Slot Battery Charger

MODEL	US20-20BC-C00
I/O	DIN4
Input	12V / 12.5A
Dimension	446 x 148.2 x 81mm
Compatibility	US20/30

Compatible



US20-BATT-E67(-S10)
US30 Battery



US20-PWSP-5XX
power supply

Power Supply



US20-PWSP-5XX

Power Supply for 5-Slot battery charger

MODEL	US20-PWSP-5XX
Input	100~240VAC
Output	12VDC / 12.5A
Compatibility	US30

Depending on the type of connector at the end

US20-PWSP-5 EU
US20-PWSP-5 AU
US20-PWSP-5 KR
US20-PWSP-5 UK
US20-PWSP-5 US
US20-PWSP-5 CN

Compatible



US20-5CRD-C00 / US20-5CRD-E00
5-Slot charging only cradle



US20-5CRD-C00-MT / US20-5CRD-E00-MT
5-Slot charging only cradle
(4 x US20 & 4 Batteries)



US20-20BC-C00
20-Slot charging only cradle

Trigger



US20-TRIG-S00 US20-TRIG-S01

Trigger Handle for US30

MODEL	US20-TRIG-S00
Dimension	72x 94 x 147mm
Weight	150g
Compatibility	US30

US20-TRIG-S00 has a plastic injection mount, while **US20-TRIG-S01** has a metal mount. For detailed product specifications of **US20-TRIG-S01**, please inquire separately.

Compatible



US30

Boot



US20-BOOT-01

Rubber boot

MODEL	US20-BOOT-01
Dimension	85x 245 x 49mm
Weight	105g
Compatibility	US20/30

Compatible



US30

Battery

Compatible



US20-BATT-E67

Fast Charging Extended Capacity Spare
Battery 6,700mAh



US20-04BC-C00

4-Slot Battery Charger



US20-20BC-C00

20-Slot charging only cradle

Vehicle

Charging & Data communications



US20-VCRD-CU0

Forklift/Vehicle charging station

MODEL	US20-VCRD-CU0
I/O	DIN4
Input	12V / 3A
Dimension	75 x 250 x 75mm
Weight	380g
Compatibility	US20/30

Compatible



US30



Ram
Mount(Suction)
UNIV-RAMS



Ram
Mount(Screw)
UNIV-RAMT



Power
Converter /
UNIV-PWSP-F00



Vehicle/Forklift
Cradle USB Client
UNIV-CABL-UVC



Vehicle/Forklift
Cradle USB Host
UNIV-CABL-UVH

US20-CPAK-FCRD-SQ

Forklift

Charging & Data communications



**UNIV-RAMM + UNIV-RAMC + UNIV-CABL-VC +
UNIV-PWSP-F00 + UNIV-CABL-UVH + UNIV-ABL-UVC**

Square Type Forklift Cradle Kits;
Includes Forklift charging station, Vehicle mount, Clamp
base, Voltage Power Converter, Forklift power input cable,
USB Client/Host Cable

Compatible



US30

M3 MOBILE
US30ACCGD2102025

US20-CPAK-FCRD-SQ

Forklift

Component

US20-VCRD-CU0

US20 vehicle cradle body



UNIV-RAMM

RAM® Double Socket
Arm mount for Forklift Cradle



UNIV-RAMC

Clamp base for Forklift Cradle
Attach to the forklift
Socket Arm mount.



UNIV-CABL-VC

power extend input cable
Length : 1M



US20-CPAK-FCRD-SQ

Forklift

Component

UNIV-CABL-UVH

USB female cable
connection to the cradle body




UNIV-CABL-UVC

USB male cable
connection to the cradle body



UNIV-PWSP-F00

Power Converter,
INPUT : DC 24V ~ DC 96.V,
OUTPUT : DC 12V / 5A



US20-CPAK-FCRD-SQ

**US20-VCRD-
CU0**

UNIV-RAMM

UNIV-RAMC

UNIV-CABL-VC

UNIV-PWSP-F00

UNIV-CABL-UVH or UNIV-CABL-UVC



US20-CASE-FHH

Fabric Holster with belt, Side
attach, Hard type



US20-CASE-FSH

Fabric Holster soft type with
Strap, belt



UNIV-CABL-UCA

USB cable A to C



US20-STRP(-S10/S50)

Handstrap for 45°
Scan 10 pcs



US20-STRP-T10

Handstrap for Trigger
Handle 10 pcs



US20-SCPR

Screen Protector